







Needs/Problems for those wanting to use a front mounted skid steer magnetic sweeper

Ground Contact

• When operating a magnetic sweeper, the operator often has to feather the controls and pay close attention to avoid having the magnet hit the ground and losing all of the collected debris

The Meerkat Solutions

- The Meerkat's design allows operators to set the lift arms of the skid steer on the lower stops and this positions the magnet in the correct operating zone.
- At the recommended sweeping height of 3" inches 4" inches the magnet is strong enough to collect debris even when it is raised high enough to avoid ground contact.
- The Wrap around feature ensures that, in the event of a ground strike, the collected debris is simply wiped to the back side of the magnet and not released onto the ground.
- Strong steel ribs between hanging magnet assemblies provide extra rigidity to prevent damage, even on big impacts



EERKAT **Front Mounted Skid Steer Magnetic Sweeper**

Needs/Problems for those wanting to use a front mounted skid steer magnetic sweeper	The Meerkat Solutions
 Ease of Use Operators want to be able to change tools quickly Operators need to be able to clean collected metal debris from the magnet and into a receptacle without getting out of the skid steer. Large Job sites require a fast and easy solution to collect debris that accumulates through normal operations. 	 The Meerkat can empty debris from the magnet without the need to be handled by anyone, increasing safety and efficiency. The Swing-Out Clean-Off pivoting magnet system uses gravity to separate the debris from the magnetic field, and can empty into five and eight foot tall dumpsters. Connecting the Meerkat to a skid steer or track loader is the same procedure as mounting a bucket or any other non-powered attachment. Latching into the universal adaptor plate and engaging the safeties is all that is required to start sweeping. Making it easy to switch between tools without having to get out of the cab. The Meerkat has a powerful 67" inch wide magnet that can cover a large plot of land quickly and efficiently and the Meerkat will retain collected debris even if it hits the ground thanks to the wrap around feature.
 Professional Performance and Power Commercial and industrial skid steer owners and operators want a magnetic sweeper that is going to work in tough dirty conditions to ensure removal of unwanted metal debris. Industrial and commercial users don't want to buy something that only half works. 	 The Meerkat is a permanently charged magnet that can pick up a 2.5" inch nail from a height of 10" inches. Power will never decrease, ensuring years of use. Optional debris digging rakes extend the functionality of the Meerkat, allowing operators to simultaneously groom and re-surface job sites while digging up and collecting metal debris that may be below the surface. The Debris Digging rake also provides a visual indicator of which areas have been swept.
 Durability Not only does it have to work, and be easy to use, but industrial and commercial skid steer owners and operators want a magnetic sweeper that will last as long as the skid steer. 	 The Meerkat is constructed of heavy-duty steel and stainless steel which can take the abuse that even the toughest job sites have to offer. Permanently charged C8 magnet will never need to be replaced. Any parts the Meerkat may need are available from Bluestreak Equipment. Strong steel ribs between hanging magnet assemblies provide extra rigidity to prevent damage, even on big impacts.

Meerkat Specifications

Product Name Meerkat - Skid Steer Magnetic Sweeper

Sweeper Width Meerkat 67 - 67"

Magnet Housing Dimensions 3 housings each: 6.8"W x 5.25"H x 20.75"L

Magnet Dimensions Inside Housing 6"W x 5"H x 20"L

Total Product Weight Meerkat 67 - 737 LBS

Total Shipping Weight Meerkat 67 - 821 LBS See this product in action. View demo online. Visit us at **www.bluestreakequipment.com**

Cleaning Method Swing-out, clean-off, pivoting magnet system, gravity powered

Sweeping Height Adjustability Continuous, using lift arms of the skid steer

Mounting Point Universal skid steer adaptor plate

Magnet Type Permanently charged C8 magnets

Fit Designed to fit most skid steers, track loaders

Maximum Lifting Height 10" (measures in 2 1/2" 8 penny nails)

Construction Steel, stainless steel





1645 Hwy 3, Delhi, Ontario, Canada N4B 2W6 Tel: 1-519-582-1386 Fax: 1-519-582-2579 Email: sales@bluestreakequipment.com Website: www.bluestreakequipment.com

* The manufacturer reserves the right to modify the product any time, without prior notice.